

# Dissipator® 747

01/2007

### PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Dissipator® 747 **Product Type:** Acrylic Adhesive

Company: Hernon Manufacturing, Inc. **Contact Information:** 407-322-4000 Telephone:

> 121 Tech Drive Emergency Telephone: 800-255-3924 Sanford, FL 32771

Web Site: www.hernonmfg.com

#### 2. **COMPOSITION / INFORMATION ON INGREDIENTS**

Ingredients	%	<b>ACGIH TLV</b>	OSHA PEL	<u>OTHER</u>	
Cyclohexyl Methacrylate	30-50	None None		None	
Alumina Trihydrate	30-50	None	None	None	
Elastomer	20-40	None	None	None	
Fumed Silica	1-5	None	None	None	
Methacrylic Acid	1-5	20 ppm TWA	None	None	
Alkyl Glycol Dimethacrylate	1-5	None	None	None	
Acrylic Acid	1-5	2ppm TWA (skin)	10 ppm TWA 30 mg/m³	1 ppm TWA (skin) 3 ppm STEL (skin)	
tert-Butyl Peroxybenzoate	1-5	None	None	None	

#### 3. **HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

HMIS: Physical state: Paste HEALTH: 2 Color: Grey FLAMMABILITY: 1

Odor: Mild PHYSICAL HAZARD:

Personal Protection: See Section 8

MAY CAUSE EYE IRRITATION. **WARNING:** 

MAY CAUSE ALLERGIC SKIN REACTION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

**Primary Routes of Entry:** Skin, Inhalation, Eyes

Signs and Symptoms of Exposure:

Inhalation: May cause respiratory tract irritation. Skin contact: May cause allergic skin reaction.

Eye contact: Non-irritating

Ingestion: Not expected to be harmful by ingestion. **Existing Conditions Aggravated by Exposure:** Eye, skin, and respiratory disorders.



# Dissipator® 747

01/2007

4. FIRST AID MEASURES

**Ingestion:** Do not induce vomiting. Keep individual calm. Obtain medical attention.

**Inhalation:** Remove to fresh air. If symptoms develop and persist, get medical attention.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing and shoes. Wash

clothing before reuse. Get medical attention if symptoms occur.

Eye Contact: Flush with copious amounts of water, preferably, lukewarm water for at least

15 minutes, holding eyelids open all the time. Get medical attention.

5. FIRE FIGHTING MEASURES

Flash Point (TCC): > 200°F

Recommended Extinguishing Agents: Carbon dioxide, foam, dry chemical

**Special Firefighting Procedures:**Wear self contained breathing apparatus

Hazardous Combustion Products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

Unusual Fire or Explosion Hazards: Vapors may accumulate in low or confined areas, travel considerable distance

to source of ignition, and flash back.

Flammable/Explosive Limits – lower %: Not available
Flammable/Explosive Limits – upper %: Not available

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear proper protective equipment

Measures for Environmental Protection: Do not allow entry into drains or surface waters

Clean-up Measures: Soak up with an inert absorbent. Store in partly filled, closed container until

disposal.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist.

Wash thoroughly after handling. Use only with adequate ventilation.

Storage: Store between 46° and 82°F unless otherwise labeled to preserve shelf life.

Keep in a cool, well ventilated area away from heat, sparks and open flame.

Keep container tightly closed until ready for use.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

**Eye/Face Protection:** Safety glasses or goggles with side shields

**Skin Protection:**Use rubber or plastic gloves, and protective clothing as necessary

**Respiratory Protection:**Use NIOSH approved respirator if there is a potential to exceed exposure

limits

Engineering Controls: Forced ventilation may be required if concentrations exceed exposure limits



9.

# Dissipator® 747

01/2007

### PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Paste
Color: Grey
Odor: Mild

**Vapor Pressure:** Less than 5 mm at 80°F

Vapor Density: Not available

Solubility in Water:

Specific Gravity:

1.14

Boiling Point:

Volatile Organic Compound Content

34.9%

Evaporation Rate (Ether = 1) Not available

pH: Does not apply

### 10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

**Hazardous Decomposition Products:** Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

**Incompatibility:** Strong oxidizers.

### 11. TOXICOLOGICAL INFORMATION

	Literatu	Literature Referenced Target Organ					Carcinogen Status			
Ingredients:	and Oth	and Other Health Effects					IARC	OSHA		
Cyclohexyl Methacrylate	ALG	IRR				NO	NO	NO		
Alumina trihydrate	IRR	LUN	RES			NO	NO	NO		
Elastomer	No data	ì				NO	NO	NO		
Fumed Silica	NTO					NO	NO	NO		
Methacrylic Acid	ALG	COR	IRR			NO	NO	NO		
Alkyl Glycol Dimethacrylate	ALG	IRR				NO	NO	NO		
Acrylic Acid	COR	ALG	IRR	KID	LIV	NO	NO	NO		
tert-Butyl Peroxybenzoate	CNS	IRR	MUT			NO	NO	NO		

### Abbreviations:

ALG Allergen IRR Irritant COR Corrosive KID Kidney CNS Central Nervous System

LUN Lung MUT Mutagen RES Respiratory LIV Liver NTO No Taget Organs

### 12. ECOLOGICAL INFORMATION

Water Hazard: Do not allow entry into drains or surface waters



## Dissipator® 747

01/2007

13. DISPOSAL CONSIDERATIONS

**Recommended methods of disposal:** Dispose of according to Federal, State and Local regulations.

EPA Hazardous Waste Number: Not an RCRA hazardous waste

14. TRANSPORTATION INFORMATION

U.S. Dept. of Transportation Ground (49 CFR):

Proper Shipping Name Unrestricted

Hazard Class or Division:

Identification Number

None

Packing group:

None

International Air Transportation (ICAO/IATA):

Proper Shipping Name: Unrestricted

Hazard Class or Division:NoneIdentification NumberNonePacking group:None

WaterTransportation (IMO/IMDG):

Proper Shipping Name: Unrestricted

Hazard Class or Division:NoneIdentification NumberNonePacking group:NoneMarine pollutant:None

15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances

Control Act Inventory

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting

requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372): Acrylic Acid, Methacrylic Acid

16. OTHER INFORMATION

Prepared By: Jerry Litteral

Title: Director - Quality & Development

**DISCLAIMER:** Some of the information presented is from sources other than direct test data on the product itself. The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.