

# Dripstop® 920

06/2009

# PRODUCT AND COMPANY IDENTIFICATION

Product Name: Dripstop® 920 **Product Type:** Anaerobic Sealant

Company: **Contact Information:** 407-322-4000 Hernon Manufacturing, Inc. Telephone:

> 121 Tech Drive Emergency Telephone: 800-255-3924 Sanford, FL 32771

Web Site: www.hernonmfg.com

#### 2. **COMPOSITION / INFORMATION ON INGREDIENTS**

<u>Ingredients</u>	%	<b>ACGIH TLV</b>	OSHA PEL	<u>OTHER</u>
Polyglycol Dimethacrylate	25-30	None	None None	
Mica	20-25	3 mg/m³ TWA respirable dust	20 mppcf TWA	None
Bisphenol A fumarate resin	15-20	None	None	None
Polymeric plasticizer	15-20	None	None	None
Poly (tetrafluoroethylene)	5-10	None	None	AEL (DuPont): 10 mg/m³, 8 Hr. TWA, total dust; 5 mg/m³, 8 Hr. TWA respirable dust
Fumed Silica	1-3	6 mg/m³ TWA	10 mg/m³ TWA	3 mg/m³ TWA respirable dust
Cumene Hydroperoxide	1-3	None	None	1 ppm (6 mg/m³) Skin (WEEL)
Titanium Dioxide	1-3	10 mg/m³ TWA	15 mg/m³ TWA (total dust)	None

### HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

HMIS: Physical state: HEALTH: 2 Paste Color: White FLAMMABILITY: 1 Mild Odor: PHYSICAL HAZARD:

See Section 8 Personal Protection:

**WARNING:** CAUSES EYE IRRITATION.

MAY CAUSE ALLERGIC SKIN REACTION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

**Primary Routes of Entry:** Skin, Inhalation, Eyes

Signs and Symptoms of Exposure:

Inhalation: May cause respiratory tract irritation.

Skin contact: May cause allergic skin reaction. May cause skin irritation.

Eye contact: Contact with eyes will cause irritation. Ingestion: Not expected to be harmful by ingestion. **Existing Conditions Aggravated by Exposure:** Eye, skin, and respiratory disorders.



# Dripstop® 920

06/2009

4. FIRST AID MEASURES

**Ingestion:** Do not induce vomiting. Keep individual calm. Obtain medical attention.

**Inhalation:** Remove to fresh air. If symptoms develop and persist, get medical attention.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing and shoes. Wash

clothing before reuse. Get medical attention if symptoms occur.

Eye Contact: Flush with copious amounts of water, preferably, lukewarm water for at least

15 minutes, holding eyelids open all the time. Get medical attention.

5. FIRE FIGHTING MEASURES

Flash Point (TCC): > 200°F

Recommended Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting Procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear.

Hazardous Combustion Products: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Toxic fluorine

compounds. Irritating organic vapors.

Unusual Fire or Explosion Hazards: None

Flammable/Explosive Limits – lower %: Not available
Flammable/Explosive Limits – upper %: Not available

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear proper protective equipment

Measures for Environmental Protection: Do not allow entry into drains or surface waters

Clean-up Measures: Soak up with an inert absorbent. Store in partly filled, closed container until

disposal.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist.

Wash thoroughly after handling. Use only with adequate ventilation.

**Storage:** Store between 46° and 82°F unless otherwise labeled to preserve shelf life.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

**Eye/Face Protection:** Safety glasses or goggles with side shields

Skin Protection: Use rubber or plastic gloves, and protective clothing as necessary

**Respiratory Protection:**Use NIOSH approved respirator if there is a potential to exceed exposure

limits

Engineering Controls: Forced ventilation may be required if concentrations exceed exposure limits



9.

# Dripstop® 920

06/2009

### PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Paste
Color: White
Odor: Mild

**Vapor Pressure:** Less than 5 mm at 80°F

Vapor Density: Not available

Solubility in Water:SlightSpecific Gravity:1.36Boiling Point:> 300°FVolatile Organic Compound Content16.9%

Evaporation Rate (Ether = 1) Not available

pH: Does not apply

### 10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: Oxides of carbon. Oxides of sulfur. Oxides of nitrogen. Toxic fluorine

compounds. Phenols. Irritating organic vapors.

**Incompatibility:** Strong oxidizers. Reducing agents. Acids. Bases. Rust. Zinc. Aluminum. Iron.

Copper. Alkalis. Aldehydes. Amines. Free radical initiators. Peroxides.

### 11. TOXICOLOGICAL INFORMATION

	Literature Referenced Target Organ					Car	Carcinogen Status			
Ingredients:	and Other Health Effects					NTP	IARC	OSHA		
Polyglycol Dimethacrylate	ALG	IRR				NO	NO	NO		
Mica	LUN					NO	NO	NO		
Bisphenol A fumarate resin	ALG	IRR				NO	NO	NO		
Polymeric plasticizer	No data	a				NO	NO	NO		
Poly (tetrafluoroethylene)	NTO					NO	NO	NO		
Fumed Silica	NTO					NO	NO	NO		
Cumene Hydroperoxide	ALG	CNS	COR	IRR	MUT	NO	NO	NO		
Titanium Dioxide	IRR	RES				NO	NO	NO		

#### **Abbreviations:**

ALG Allergen IRR Irritant COR Corrosive CNS Central Nervous System

LUN Lung MUT Mutagen RES Respiratory NTO No Target Organs

# 12. ECOLOGICAL INFORMATION

Water Hazard: Do not allow entry into drains or surface waters



# Dripstop® 920

06/2009

13. DISPOSAL CONSIDERATIONS

**Recommended methods of disposal:** Dispose of according to Federal, State and Local regulations.

EPA Hazardous Waste Number: Not an RCRA hazardous waste

14. TRANSPORTATION INFORMATION

U.S. Dept. of Transportation Ground (49 CFR):

Proper Shipping Name Unrestricted

Hazard Class or Division:

Identification Number

None

Packing group:

None

International Air Transportation (ICAO/IATA):

Proper Shipping Name: Unrestricted

Hazard Class or Division:NoneIdentification NumberNonePacking group:None

WaterTransportation (IMO/IMDG):

Proper Shipping Name: Unrestricted

Hazard Class or Division:NoneIdentification NumberNonePacking group:NoneMarine pollutant:None

15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances

Control Act Inventory

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting

requirements of section 313 of the Emergency Planning and Community

Right-To-Know Act of 1986 (40 CFR 372): Cumene Hydroperoxide

16. OTHER INFORMATION

Prepared By: Jerry Litteral

Title: Director - Quality & Development

**DISCLAIMER:** Some of the information presented is from sources other than direct test data on the product itself. The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.