

# Ultrabond® 748

06/2009

#### 1. PRODUCT AND COMPANY IDENTIFICATION

121 Tech Drive

Company: Hernon Manufacturing, Inc. Contact Information: Telephone: 407-322-4000

Emergency Telephone: 800-255-3924

Sanford, FL 32771 Web Site: www.hernonmfg.com

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Ingredients</u>	%	ACGIH TLV	OSHA PEL	<u>OTHER</u>
Urethane Methacrylate Oligomer	40-60	None	None	None
High Boiling Acrylate	30-40	None	None	None
Hydroxyalkyl Methacrylate	10-20	None	None	None
Acrylic acid	5-10	2 ppm TWA (skin)	10 ppm TWA 30 mg/m³	1 ppm TWA (skin) 3 ppm STEL (skin)
Photoinitiator	1-5	None	None	None
tert-Butyl peroxybenzoate	1-5	None	None	None
Substituted Silane	1-5	None	None	None
Saccharin	1-5	None	None	None

#### 3. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

Physical state: Liquid HEALTH: 2
Color: Clear FLAMMABILITY: 1
Odor: Mild PHYSICAL HAZARD: 1

Personal Protection: See Section 8

**WARNING:** MAY CAUSE EYE, AND SKIN IRRITATION.

MAY CAUSE ALLERGIC SKIN REACTION.

MAY CAUSE RESPIRATORY TRACT IRRITATION.

•

Primary Routes of Entry: Skin, Inhalation, Eyes

Signs and Symptoms of Exposure:

**Inhalation:** May cause irritation to nose and throat.

**Skin contact:** Irritating to skin. May cause allergic skin reaction.

**Eye contact:** Vapors may irritate eyes. Contact with eyes will cause irritation.

**Ingestion:** May cause gastrointestinal tract irritation if swallowed.

**Existing Conditions Aggravated by Exposure:** Eye, skin, and respiratory disorders.



### Ultrabond® 748

06/2009

4. FIRST AID MEASURES

**Ingestion:** Do not induce vomiting. Keep individual calm. Obtain medical attention.

**Inhalation:** Remove to fresh air. If symptoms develop and persist, get medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and shoes. Wash

clothing before reuse. Get medical attention if symptoms occur.

Eye Contact: Flush with copious amounts of water, preferably, lukewarm water for at least 15

minutes, holding eyelids open all the time. Get medical attention.

5. FIRE FIGHTING MEASURES

Flash Point (TCC): Approximately 171°F

Recommended Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting Procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear.

**Hazardous Combustion Products:** Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

Unusual Fire or Explosion Hazards: None

Flammable/Explosive Limits – lower %: 2.0% Acrylic acid
Flammable/Explosive Limits – upper %: 8.0% Acrylic acid

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear proper protective equipment

Measures for Environmental Protection: Do not allow entry into drains or surface waters

Clean-up Measures: Soak up with an inert absorbent. Store in partly filled, closed container until

disposal.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist.

Wash thoroughly after handling. Use only with adequate ventilation.

**Storage:** Store between 46° and 82°F unless otherwise labeled to preserve shelf life.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eye/Face Protection: Safety glasses or goggles with side shields

**Skin Protection:** Use rubber or plastic gloves, and protective clothing as necessary

**Respiratory Protection:**Use NIOSH approved respirator if there is a potential to exceed exposure limits

Engineering Controls: Forced ventilation may be required if concentrations exceed exposure limits



9.

## Ultrabond® 748

06/2009

#### PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Color: Clear
Odor: Mild

**Vapor Pressure:** Less than 5 mm at 80°F

Vapor Density: Not available

Solubility in Water:

Specific Gravity:

1.08

Boiling Point:

Volatile Organic Compound Content

Evaporation Rate (Ether = 1)

PH:

Does not apply

#### 10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

**Incompatibility:** Strong oxidizers.

### 11. TOXICOLOGICAL INFORMATION

	Literature Re	ferenced Target Organ	Car	Carcinogen Status		
Ingredients:	and Other He	ealth Effects	NTP	IARC OSHA		
Urethane Methacrylate Oligomer	No data		NO	NO NO		
High Boiling Acrylate	ALG IRF	R	NO	NO NO		
Hydroxyalkyl Methacrylate	ALG IRI	₹	NO	NO NO		
Acrylic acid	ALG CC	DR IRR KID LIV	NO	NO NO		
Photoinitiator	No data		NO	NO NO		
tert-Butyl peroxybenzoate	CNS IRI	R MUT	NO	NO NO		
Substituted Silane	CNS KII	D LIV	NO	NO NO		
Saccharin	NTO		NO	NO NO		

#### Abbreviations:

ALG Allergen IRR Irritant COR Corrosive CNS Central Nervous System

LIV Liver MUT Mutagen KID Kidney NTO No Target Organs

#### 12. ECOLOGICAL INFORMATION

Water Hazard: Do not allow entry into drains or surface waters



### Ultrabond® 748

06/2009

13. DISPOSAL CONSIDERATIONS

**Recommended methods of disposal:** Dispose of according to Federal, State and Local regulations.

EPA Hazardous Waste Number: Not an RCRA hazardous waste

14. TRANSPORTATION INFORMATION

U.S. Dept. of Transportation Ground (49 CFR):

Proper Shipping Name Unrestricted

Hazard Class or Division:

Identification Number

None

Packing group:

None

International Air Transportation (ICAO/IATA):

Proper Shipping Name: Unrestricted

Hazard Class or Division:NoneIdentification NumberNonePacking group:None

WaterTransportation (IMO/IMDG):

Proper Shipping Name: Unrestricted

Hazard Class or Division:NoneIdentification NumberNonePacking group:NoneMarine pollutant:None

15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances

Control Act Inventory

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting

requirements of section 313 of the Emergency Planning and Community

Right-To-Know Act of 1986 (40 CFR 372): Acrylic Acid

California Proposition 65: This product contains trace quantities of a chemical (or chemicals) known to

the state of California to cause cancer, birth defects, and/or other reproductive

harm.

16. OTHER INFORMATION

Prepared By: Jerry Litteral

Title: Director - Quality & Development

**DISCLAIMER:** Some of the information presented is from sources other than direct test data on the product itself. The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.