




## Blowout Preventer / Wireline



[www.hitechseals.com](http://www.hitechseals.com)



ISO 9001  
REGISTERED QMS



# Table of Contents

Hi-Tech Seals	2
Quality Policy	2
Rapid Prototyping	3
After Hours Service	3
Custom Kits	4
Part Labeling	4
Seal Products	5
Otis Vee Packing	8
Baker Vee Packing	13

---



## Hi-Tech Seals

Hi-Tech Seals has been a part of Alberta's Oil & Gas industry for over twenty years. We have developed a strong line of the Wireline and Blowout Preventer parts. While working with Hi-Tech Seals customers receive global solutions stocked locally. Hi-Tech Seals connects customers with international seal manufacturers and technology developers. Customers have access to speedy delivery and high quality products.

## ISO 9001 Registered QMS

Hi-Tech Seals is proud of our Quality Management System. Our quality program tracks products from the manufacturer to the customer, ensuring a correct and quality product is provided to the customer. Hi-Tech Seals strives to create understanding of our quality program among all levels of our organization and we aggressively monitor and seek ways of improving our processes.





# Rapid Prototyping

## Need Parts Now?

Hi-Tech Seals offers in house replication and manufacturing services. We have a state-of-the-art optical measuring device called the Micro-Vu Matrix. This precision measurement tool allows us to measure part to six decimal places.

With the use of our manufacturing, engineering and drafting departments, we can quickly produce prototypes or create replacement parts.

For more information and machine profiles, download our Rapid Seal brochure which can be found on our website [www.hitechseals.com](http://www.hitechseals.com).



## After Hours Service

Hi-Tech Seals has a sales representative available 24 hours a day, seven days a week to serve you. You can reach your local sales representative through your regular Hi-Tech Seals branch phone number. Our after hours charges are \$100.00 per call in, provided we can service you. After hours machining charges are \$100.00 for the call in + \$175.00 per hour of labour, with a minimum of one hour labour charge. Hi-Tech Seals reserves the right to change pricing without notice. Our regular services hours are 7:30 am to 5:30 pm, Monday- Friday.





## Custom Kits



*Custom BOP Kit*

### Make Reordering Easier

If you have a specific piece of machinery that undergoes maintenance or if you are manufacturing machinery, kits are an excellent system for staying organized.

Our sales staff will identify the sealing components in a piece of machinery and create a kit in our system. The kit can include custom labels with your company logo, part numbers and application information.

The next time you need to order more seals you can simply provide the kit number and you will receive a bag with all the parts for your application.

### Part Labeling



We now offer both an inkjet and a new laser etching service. Parts can be labeled with part numbers, company logos or application information. Labeling your parts provides you with:

- Brand Exposure
- Locks in proprietary ordering
- Increases the ease of reordering



## Sealing Products

 <p style="text-align: center;"><b>O-Rings</b></p>	<p><b>Materials:</b> Nitrile, Highly Saturated Nitrile, Genuine Viton®, Low Temp. Viton®</p> <p><b>Description:</b> Available in imperial and metric sizes.</p>
 <p style="text-align: center;"><b>Back-Up Rings</b></p>	<p><b>Materials:</b> PEEK, PTFE</p> <p><b>Description:</b> When high pressure is exerted on the O-ring, the soft rubber material of the O-ring can extrude into the clearance gap. Use of a back-up ring can help prevent premature failure.</p>
 <p style="text-align: center;"><b>O-Ring Loaded U-Cups</b></p>	<p><b>Materials:</b> Urethane, Viton®, Highly Saturated Nitrile</p> <p><b>Description:</b> Available in O-ring or quad loaded styles, with a beveled or straight lip.</p>
 <p style="text-align: center;"><b>T-Seals</b></p>	<p><b>Materials:</b> Highly Saturated Nitrile or Viton® elastomer with PEEK or PTFE Back-up rings.</p> <p><b>Description:</b> The T-seal is an improvement on the O-ring design. T-seals are designed to fit into O-ring grooves.</p>



## Sealing Products

 <p style="text-align: center;"><b>Door Seals</b></p>	<p><b>Material:</b> Nitrile</p> <p><b>Description:</b> Stocked in custom sizes and materials.</p>
 <p style="text-align: center;"><b>Large Bore Piston Seals</b></p>	<p><b>Materials:</b> Urethane, Hytrel®, Nitrile</p> <p><b>Description:</b> Wiper and U-cup seal designs.</p> <p>Aftermarket seals are available in Shaffer, Townsend, Sentinel and Hydril styles.</p>
 <p style="text-align: center;"><b>Inner BOP Seals</b></p>	<p><b>Materials:</b> Highly Saturated Nitrile, Carbon Steel</p> <p><b>Description:</b> Popular line sizes include 3/16", 7/32", 1/4", 5/16", 3/8", 15/32" and slickline.</p>
 <p style="text-align: center;"><b>Outer BOP Seals</b></p>	<p><b>Material:</b> Highly Saturated Nitrile</p> <p><b>Description:</b></p>

## Sealing Products

 <p><b>Stuffing Box Packing</b></p>	<p><b>Materials:</b> Nitrile, Highly Saturated Nitrile, Genuine Viton®</p> <p><b>Description:</b> The stuffing box packing seals on the wire, holding back well bore pressure.</p>
 <p><b>Packoff Oil Savers</b></p>	<p><b>Materials:</b> Nitrile, Highly Saturated Nitrile, Viton®</p> <p><b>Description:</b> Available for wire sizes 1/8", 5/16", 7/32" and 1/4". Popular styles include C, CI, H, HR, 410.</p>
 <p><b>G Style Packoff Elements</b></p>	<p><b>Materials:</b> Highly Saturated Nitrile, Nitrile</p> <p><b>Description:</b> Contains a dual coil spring in the heel. Available in sizes 2", 2 - 1/2", 3", and 4".</p>
 <p><b>A3 Elements</b></p>	<p><b>Materials:</b> Highly Saturated Nitrile, Nitrile</p> <p><b>Description:</b> Contains a coil spring in the heel. Three piece element. Common API sizes include 1.900", 2 - 1/16", 2 - 3/8", 2 - 7/8", 3 - 1/2".</p>

# Otis Vee Packing

Material	Temperature
Nitrile/Kevlar	149°C
Fluorocarbon/Kevlar	177°C
Aflas™/Kevlar	204°C
Highly Saturated Nitrile/Kevlar	160°C
Ryton	204°C
Molyglass/PTFE	204°C

Part Number	Description	Material
OVP 91 V 310-NK	Otis 1.875" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 318-NK	Otis 2.313" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 345-NK	Otis 2.500" EQ PRONG STD Service	Nitrile/Kevlar
OVP 91 V 347-NK	Otis 3.000" EQ PRONG STD Service	Nitrile/Kevlar
OVP 91 V 3308-NK	Otis 2.000" EQ PRONG STD Service	Nitrile/Kevlar
OVP 91 V 3376-NK	Otis 2.750" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 1330-NK	Otis 2.810" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 38100-NK	Otis 3.813" Lock Mandrel STD Service	Nitrile/Kevlar

## Otis R & RN Lock Mandrel STD Service

Part Number	Description	Material
OVP 91 V 17100-NK	Otis 1.710" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 17910-NK	Otis 1.781" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 21250-NK	Otis 2.125" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 21880-NK	Otis 2.188" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 25620-NK	Otis 2.562" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 33130-NK	Otis 3.313" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 36800-NK	Otis 3.688" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 41250-NK	Otis 4.125" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 43130-NK	Otis 4.313" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 4373-NK	Otis 4.562" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 3910-NK	Otis 5.750" Lock Mandrel STD Service	Nitrile/Kevlar
OVP 91 V 322-NK	Otis 5.963" Lock Mandrel STD Service	Nitrile/Kevlar





## Otis X , XN , R & RN LOCKS

H<sub>2</sub>S Service  
Moly Glass / PTFE

Part Number	Description	Material
OVP 91 V 4415-MG	Otis 1.710" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4413-MG	Otis 1.781" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4411-MG	Otis 1.875" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 21250-MG	Otis 2.125" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4402-MG	Otis 2.188" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4308-MG	Otis 2.313" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 25620-MG	Otis 2.562" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4397-MG	Otis 2.750" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4395-MG	Otis 2.813" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4393-MG	Otis 2.875" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4391-MG	Otis 3.125" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4389-MG	Otis 3.250" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4387-MG	Otis 3.313" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4385-MG	Otis 3.437" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4383-MG	Otis 3.688" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4381-MG	Otis 3.813" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4379-MG	Otis 4.000" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4377-MG	Otis 4.125" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4375-MG	Otis 4.313" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4373-MG	Otis 4.562" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4369-MG	Otis 5.750" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4364-MG	Otis 5.875" Lock Mandrel H2S Service	Molyglass/PTFE
OVP 91 V 4363-MG	Otis 5.963" Lock Mandrel H2S Service	Molyglass/PTFE

## Otis X, XN , R & RN Lock



Part Number	Description	Material
OVP 91 V 4607-RY	Otis 1.625" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4414-RY	Otis 1.710" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4412-RY	Otis 1.781" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4410-RY	Otis 1.875" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4404-RY	Otis 2.125" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4403-RY	Otis 2.188" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4309-RY	Otis 2.313" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 25620-RY	Otis 2.562" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4396-RY	Otis 2.750" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4394-RY	Otis 2.813" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4392-RY	Otis 2.875" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4390-RY	Otis 3.125" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4388-RY	Otis 3.250" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4386-RY	Otis 3.313" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4382-RY	Otis 3.688" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4380-RY	Otis 3.813" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4378-RY	Otis 4.000" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4376-RY	Otis 4.125" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4374-RY	Otis 4.313" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4372-RY	Otis 4.562" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4368-RY	Otis 4.813" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4365-RY	Otis 5.875" Lock Mandrel H <sub>2</sub> S	Ryton
OVP 91 V 4362-RY	Otis 5.963" Lock Mandrel H <sub>2</sub> S	Ryton

## Otis EQ Prong Packing

Part Number	Description	Material
OVP 91 V 3308-NK	Otis 2.000" EQ Prong	Nitrile/Kevlar
OVP 91 V 4077-MG	Otis 2.000" EQ Prong	Molyglass/PTFE
OVP 91 V 4827-RY	Otis 2.000" EQ Prong	Ryton
OVP 91 V 3308-VK	Otis 2.000" EQ Prong	Fluorocarbon/Kevlar
OVP 91 V 3308-AK	Otis 2.000" EQ Prong	Aflas™/Kevlar

Part Number	Description	Material
OVP 91 V 345-NK	Otis 2.500" EQ Prong	Nitrile/Kevlar
OVP 91 V 3473-MG	Otis 2.500" EQ Prong	Molyglass/PTFE
OVP 91 V 4829-RY	Otis 2.500" EQ Prong	Ryton
OVP 91 V 345-VK	Otis 2.500" EQ Prong	Fluorocarbon/Kevlar
OVP 91 V 345-AK	Otis 2.500" EQ Prong	Aflas™/Kevlar

Part Number	Description	Material
OVP 91 V 347-NK	Otis 3.000" TO 3.810" EQ Prong	Nitrile/Kevlar
OVP 91 V 3618-MG	Otis 3.000" TO 3.810" EQ Prong	Molyglass/PTFE
OVP 91 V 4331-RY	Otis 3.000" TO 3.810" EQ Prong	Ryton
OVP 91 V 347-VK	Otis 3.000" TO 3.810" EQ Prong	Fluorocarbon/Kevlar
OVP 91 V 347-AK	Otis 3.000" TO 3.810" EQ Prong	Aflas™/Kevlar
OVP 91 V 4308-MG	Otis 4.125" EQ Prong	Molyglass/PTFE

## OTIS X, XN, R, & RN Locks

Part Number	Description	Material
OVP 91 V 310-VK	Otis 1.875" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V 318-VK	Otis 2.313" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V 3376-VK	Otis 2.750" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V 1330-VK	Otis 2.813" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V 320-VK	Otis 3.813" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V 4373-VK	Otis 4.562" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V17100-VK	Otis 1.710" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V17920-VK	Otis 1.781" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V21250-VK	Otis 2.125" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V21880-VK	Otis 2.188" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V25620-VK	Otis 2.562" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V33130-VK	Otis 3.313" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V36880-VK	Otis 3.688" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V41250-VK	Otis 4.125" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V43130-VK	Otis 4.313" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V 3910-VK	Otis 5.750" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar
OVP 91 V 322-VK	Otis 5.963" Lock H <sub>2</sub> S	Fluorocarbon/Kevlar

Part Number	Description	Material
OVP 91 V 310-AK	Otis 1.875" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V 318-AK	Otis 2.313" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V 3376-AK	Otis 2.750" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V 1330-AK	Otis 2.813" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V38100-AK	Otis 3.813" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V 4373-AK	Otis 4.562" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V17100-AK	Otis 1.710" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V17810-AK	Otis 1.781" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V21250-AK	Otis 2.125" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V21880-AK	Otis 2.188" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V25620-AK	Otis 2.562" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V 33130-AK	Otis 3.313" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V36880-AK	Otis 3.688" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V41250-AK	Otis 4.125" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V43130-AK	Otis 4.313" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V 3910-AK	Otis 5.750" Lock CO <sub>2</sub>	Aflas™/Kevlar
OVP 91 V 322-AK	Otis 5.963" Lock CO <sub>2</sub>	Aflas™/Kevlar

## Baker Vee Packing Blanking Plugs



Part Number	Description	Material	(Baker's Ref.#)
BVP 91 VB 14370-NK	Baker 1.437" Plug Packing	Nitrile/Kevlar	(# 195-176)
BVP 91 VB 15000-NK	Baker 1.500" Plug Packing	Nitrile/Kevlar	(# 195-177)
BVP 91 VB 15600-NK	Baker 1.562" Plug Packing	Nitrile/Kevlar	(# 195-178)
BVP 91 VB 16250-NK	Baker 1.625" Plug Packing	Nitrile/Kevlar	(# 195-179)
BVP 91 VB 17800-NK	Baker 1.781" Plug Packing	Nitrile/Kevlar	(# 195-180)
BVP 91 VB 18120-NK	Baker 1.812" Plug Packing	Nitrile/Kevlar	(# 195-181)
BVP 91 VB 18750-NK	Baker 1.875" Plug Packing	Nitrile/Kevlar	(# 195-182)
BVP 91 VB 22500-NK	Baker 2.250" Plug Packing	Nitrile/Kevlar	(# 195-183)
BVP 91 VB 23130-NK	Baker 2.313" Plug Packing	Nitrile/Kevlar	(# 195-184)
BVP 91 VB 25620-NK	Baker 2.560" Plug Packing	Nitrile/Kevlar	(# 219-816)
BVP 91 VB 27500-NK	Baker 2.750" Plug Packing	Nitrile/Kevlar	(# 195-185)
BVP 91 VB 28130-NK	Baker 2.813" Plug Packing	Nitrile/Kevlar	(# 195-186)
BVP 91 VB 33130-NK	Baker 3.313" Plug Packing	Nitrile/Kevlar	(# 227-218)
BVP 91 VB 38130-NK	Baker 3.813" Plug Packing	Nitrile/Kevlar	(# 195-516)

Part Number	Description	Material
BVP 91 VB 14370-MG	Baker 1.437" Plug Packing	Molyglass/PTFE
BVP 91 VB 15000-MG	Baker 1.500" Plug Packing	Molyglass/PTFE
BVP 91 VB 15620-MG	Baker 1.562" Plug Packing	Molyglass/PTFE
BVP 91 VB 16250-MG	Baker 1.625" Plug Packing	Molyglass/PTFE
BVP 91 VB 17800-MG	Baker 1.781" Plug Packing	Molyglass/PTFE
BVP 91 VB 18120-MG	Baker 1.812" Plug Packing	Molyglass/PTFE
BVP 91 VB 18750-MG	Baker 1.875" Plug Packing	Molyglass/PTFE
BVP 91 VB 22500-MG	Baker 2.250" Plug Packing	Molyglass/PTFE
BVP 91 VB 23130-MG	Baker 2.313" Plug Packing	Molyglass/PTFE
BVP 91 VB 25620-MG	Baker 2.562" Plug Packing	Molyglass/PTFE
BVP 91 VB 27500-MG	Baker 2.750" Plug Packing	Molyglass/PTFE
BVP 91 VB 28130-MG	Baker 2.813" Plug Packing	Molyglass/PTFE
BVP 91 VB 33130-MG	Baker 3.313" Plug Packing	Molyglass/PTFE
BVP 91 VB 38130-MG	Baker 3.813" Plug Packing	Molyglass/PTFE



## Baker Blanking Plugs

Part Number	Description	Material
BVP 91 VB 14370-VK	Baker 1.437" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 15000-VK	Baker 1.500" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 15620-VK	Baker 1.562" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 16250-VK	Baker 1.625" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 17800-VK	Baker 1.781" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 18120-VK	Baker 1.812" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 18750-VK	Baker 1.875" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 22500-VK	Baker 2.250" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 23130-VK	Baker 2.313" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 27500-VK	Baker 2.750" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 28130-VK	Baker 2.813" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 33130-VK	Baker 3.313" Plug Packing	Fluorocarbon/Kevlar
BVP 91 VB 38130-VK	Baker 3.813" Plug Packing	Fluorocarbon/Kevlar

Part Number	Description	Material
BVP 91 VB 14370-AK	Baker 1.437" Plug Packing	Aflas™/Kevlar
BVP 91 VB 15000-AK	Baker 1.500" Plug Packing	Aflas™/Kevlar
BVP 91 VB 15620-AK	Baker 1.562" Plug Packing	Aflas™/Kevlar
BVP 91 VB 16250-AK	Baker 1.625" Plug Packing	Aflas™/Kevlar
BVP 91 VB 17800-AK	Baker 1.781" Plug Packing	Aflas™/Kevlar
BVP 91 VB 18120-AK	Baker 1.812" Plug Packing	Aflas™/Kevlar
BVP 91 VB 18750-AK	Baker 1.875" Plug Packing	Aflas™/Kevlar
BVP 91 VB 22500-AK	Baker 2.250" Plug Packing	Aflas™/Kevlar
BVP 91 VB 23130-AK	Baker 2.313" Plug Packing	Aflas™/Kevlar
BVP 91 VB 27500-AK	Baker 2.750" Plug Packing	Aflas™/Kevlar
BVP 91 VB 28130-AK	Baker 2.813" Plug Packing	Aflas™/Kevlar
BVP 91 VB 33130-AK	Baker 3.313" Plug Packing	Aflas™/Kevlar
BVP 91 VB 38130-AK	Baker 3.813" Plug Packing	Aflas™/Kevlar


## Baker "L" Sliding Sleeve HNBR Replacement

Part Number	Description	Material
BVP 9 BL 18750-HNBR	Baker 1.875" L Sliding Sleeve	Redress Seal
BVP 9 BL 23130-HNBR	Baker 2.313" L Sliding Sleeve	Redress Seal
BVP 9 BL 35000-HNBR	Baker 3.500" L Sliding Sleeve	Redress Seal

All Otis and Baker sizes above are available in HNBR material. Call Hi-Tech Seals for a quote.


Part Number	Description	Material
OVP 91 V 11250-NK	Otis 1.125" Q Nipple Profile	Nitrile/Kevlar
OVP 91 V 16250-NK	Otis 1.625" Lock	Nitrile/Kevlar
OVP 91 V 17200-NK	Otis 1.780" R Prong PKG	Nitrile/Kevlar
OVP 91 V 38100-NK	Otis/Baker 3.813"	Nitrile/Kevlar

Part Number	Description	Material
OVP 91 V 17200-MG	Otis 1.780" R Prong PKG	Molyglass/PTFE
OVP 91 V 27500-MG	Otis 2.750" Modified Moly (6)	Molyglass/PTFE
BVP 91 VB 21250-MG	Baker 2.125"	Molyglass/PTFE
BVP 91 VB 14300-NK	Baker 1.430"	Nitrile/Kevlar
OVP 91 V21250-NK	Otis 2.125"	Nitrile/Kevlar
BVP 91 VB 1500M-NK	Baker 1.500"	Nitrile/Kevlar
OVP 91 V 4007-MG	Otis 1.710" Prong	Molyglass/PTFE
OVP 91 V 4608-MG	Otis 1.625"	Molyglass/PTFE
OVP 91 V 4792-MG	Otis 1.625" EQ Prong	Molyglass/PTFE
OVP 91 HOT-1	Otis 1.780" Hot Plug PKG	Ryton
OVP 91 HOT-2	Otis 2.280" Hot Plug PKG	Ryton
OVP 91 V 310-HK	Otis 1.875"	HNBR/Kevlar
OVP 91 V 345-HK	Otis 2.500"	HNBR/Kevlar
OVP 91 V 3308-HK	Otis 2.000"	HNBR/Kevlar
OVP 91 V 310-VK	Otis 1.875" Lock	Fluorocarbon/Kevlar
OVP 91 V 345-VK	Otis 2.500" EQ Prong	Fluorocarbon/Kevlar
OVP 91 V 318-VK	Otis 2.313" Lock	Fluorocarbon/Kevlar
OVP 91 V 4331-RT	Otis 3.000"	Ryton




9211 - 41 Avenue NW,  
**Edmonton**, Alberta T6E 6R5  
**Ph:** 780.438.6055  
**Fax:** 780.434.5866

**Toll Free Phone:** 1.800.661.6055  
**Toll Free Fax:** 1.800.465.5866  
**Email:** info@hitechseals.com




Bay #3, 5940 - 30 Street SE,  
**Calgary**, Alberta T2C 1X8  
**Ph:** 403.720.2856  
**Fax:** 403.279.2662

**Toll Free Phone:** 1.800.830.7822  
**Toll Free Fax:** 1.800.321.0862  
**Email:** info@hitechseals.com




1354 Clifton Street,  
**Winnipeg**, Manitoba, R3E 2V2  
**Ph:** 204.775.7881  
**Fax:** 204.775.7954

**Toll Free Phone:** 1.855.222.7881  
**Toll Free Fax:** 1.855.222.7954  
**Email:** info@hitechseals.com



1180 Kerrisdale Blvd; Unit #8,  
**Newmarket**, Ontario, L3Y 8Z9  
**Ph:** 905.953.9666  
**Fax:** 905.953.8739

**Toll Free Phone:** 1-877-296-9412  
**Toll Free Fax:** 1-888-580-SEAL (7325)  
**Email:** info@hitechseals.com




1450 Rue Nobel, Suite #20,  
**Boucherville**, Québec, J4B 5H3  
**Tél:** 450.655.SEAL (7325)  
**Télec:** 450.655.7359

**Téléphone Sans Frais:** 1-866-894-SEAL (7325)  
**Facsimilé Sans Frais:** 1-866-904-SEAL (7325)  
**Courriel:** info@hitechseals.com



Viton® is a registered trademarks of DuPont™ Performance Elastomers L.L.C.  
 Aflas™ development by Asahi Glass Co., Ltd.



[www.hitechseals.com](http://www.hitechseals.com)